

TECHNICAL DATA SHEET

1. TRADE NAME: **BED BUGS TAPE**

The double-sided adhesive tape inPEST, consists of a tear resistant flexible fabric backing and a natural rubber adhesive.

The adhesive has a high coating weight making it well suited for mounting applications on irregular surfaces, furthermore it can be removed in most cases without leaving adhesive residues from surfaces.

It is recommended to carry out a test before using double-sided adhesive tape inPEST on plastic surfaces.

2. PRODUCT CODE: **P-04179TAPE**

3. PICTURE:



4. TECHNICAL SPECIFICATIONS:

The bed Bugs Tape can be placed directly in contact with the areas of greatest passage of bedbugs, such as: bed's structures and legs, wall bars, etc.

- Backing material: cloth
- Colour: white
- Total thickness: 390 µm
- Type of adhesive: natural rubber
- Elongation at break: 10%
- Tensile strength: 80 N/cm

Tape size:

- **Length:** 25 m
- **Width:** 50 mm

Colour: as in the picture

InPEST products could undergo necessary or opportune technical changes, at any given time, without prior written notice to customers.

TECHNICAL DATA SHEET

Adhesion to:

Steel (initial)	7.5 N/cm	Steel (after 14 days)	7.6 N/cm
ABS (initial)	7.3 N/cm	ABS (after 14 days)	7.8 N/cm
Aluminium (initial)	7.2 N/cm	Aluminium (after 14 days)	7.3 N/cm
PC (initial)	7.4 N/cm	PC (after 14 days)	7.5 N/cm
PE (initial)	5.4 N/cm	PE (after 14 days)	5.3 N/cm
PET (initial)	7.2 N/cm	PET (after 14 days)	6.5 N/cm
PP (initial)	6.8 N/cm	PP (after 14 days)	6.9 N/cm
PS (initial)	7.2 N/cm	PS (after 14 days)	7.5 N/cm
PVC (initial)	6.9 N/cm	PVC (initial)	7.0 N/cm

Properties:

Evaluation: ++ very good, + good, o medium, - low

- Temperature resistance short term: 110 °C
- Temperature resistance long term: 30 °C
- Tack: ++
- Ageing resistance (UV): o
- Humidity resistance: o
- Resistance to chemicals: -
- Softener resistance: +
- Static shear resistance at 23 °C: o
- Static resistance at 40 °C: -

5. PACKAGING AND SPARE PARTS:

Sales unit: 1 pcs (25 m)

6. DISPOSAL CONSIDERATIONS:

Waste disposal should be in accordance with existing Community, National and local regulations.