

DATE: 23/10/2023 REV N°: 2 MOD: 4.1.2. UK

TECHNICAL DATA SHEET

1. TRADE NAME: ECOTRAP MAXI HOT + TUNNEL MAXI

Hazelnut flavoured monitoring device for the following target pests: *Rattus rattus* (black rat or roof rat), *Rattus norvegicus* (common rat), other harmful rodents and crawling insects. Protection tunnel: optional.

Monitoring device for the IPM application complying with UNI EN 16636:2015 Regulation, that must be applied to control regularly the pest presence in a specific place for a defined time.

2. PRODUCT CODE: P-02004NHM + P-02020 (tunnel)

3. PICTURE:



4. TECHNICAL SPECIFICATIONS:

Ecotrap Maxi Hot is a monitoring device (glue trap).

It is composed of:

- Black thermoformed polystyrene tray;
- Hazelnut flavoured glue;
- Thermoformed plastic tunnel (optional) for protecting Ecotrap Maxi Hot from dust and water.

The glue used for Ecotrap Maxi does not alter even at high temperatures, ensuring the pest catches also in hot environmental conditions.

Trap size:

Length: 252 mm
Width: 122 mm
Height: 12 mm

Tunnel size:



DATE: 23/10/2023 **REV N°:** 2 **MOD:** 4.1.2. UK

TECHNICAL DATA SHEET

Length: 250 mm
Width: 120 mm
Height: 80 mm

Colour: as in the picture.

Inpest products could undergo necessary or opportune technical changes, at any given time, without prior written notice to customers.

5. HOW TO USE:

Place Ecotrap Maxi Hot in the following places:

- near cable trough and electric boards, dishwashers, doors and slots, lofts, storehouses, producing departments, cellars, garages, workshops, etc.;
- along the rooms perimeters to be disinfested and along the rodent habitual paths, which can be identified through excrements, fur, dens, paw prints, etc..
- along the walls.

The use of Ecotrap Maxi Hot in a very dusty place could reduce the product functionality over time. For this reason, we suggest its use together with the Tunnel Maxi (P-02020) or inside the box Rodent Stop Transparent (P-03065T). Both items are optional and must be purchased separately. The use of safety containers also reduces the capture of non-target animals, which is why it is strongly recommended.

We even suggest you to give a number to each trap and indicate its placement in the monitored area plan, in order to facilitate the check during the periodic monitoring.

Theoretical covered area: at a distance of 5-10 meters the one from the other, according to the assumed pest infestation.

Suggested monitoring period according to the target pest: all the year long, especially in the period between October and April. Anyway, according to the target pest.

Product use conditions: to be used at temperatures above 10°C. In case the product were used at temperatures below 10°C, we suggest the use of Ecotrap Maxi (P-02004G40 or P-02004G40B).

Suggested frequency of the controls: at least twice daily. Change the trap after two months (at the latest) or before according to the pest infestation or the presence of dust and water in the environment.

Storage conditions: in a cool and dry room, temperature below 25°C and R.H. below 55%. If well stored (intact packaging), the product shell life is 3 years.

Information on the Best Practice: Can be used in agri-food environments.



DATE: 23/10/2023 **REV N°:** 2 **MOD:** 4.1.2. UK

TECHNICAL DATA SHEET

Evaluate the use of the product as it is or inside special containers, depending on the type of environment to be monitored.

The use inside containers allows to protect from dust and also to reduce the chances of catching non-target animals.

In order to respect animal welfare, we recommend a frequency of control of the adhesive traps equal to several times / day (at least 2), as recommended by the Guideline on Best Practice in the Use of Rodenticide Baits as Biocides in the European Union, issued in September 2013 from EBPF (European Biocidal Products Forum).

If, in the control phase of the adhesive trap, a mouse was found alive, it must be killed quickly and humanely. A strong blow to the head is the most advisable method according to the 2006 Animal Welfare Act UK. Absolutely avoid drowning.

If catches of non-target organisms are found, contact a wild animal recovery center (or a wildlife center). The removal of the live animal by unskilled personnel can cause further suffering and injury. Try to remove the animal with liquid paraffin, and then clean it with soap and water, only when it has been impossible to find professional help.

6. PACKAGING AND SPARE PARTS:

Ecotrap Maxi Hot:

-Case: 24 packs (sales unit). Every pack contains 2 pieces, for a total of 48 traps/case;

-Pallet: 2304 pieces, 80 X 120 X 120 cm (h).

Tunnel Maxi: Pack: bulk

Case: 100 pieces (sales unit).

7. DISPOSAL CONSIDERATIONS:

Waste disposal should be in accordance with existing Community, National and local regulations.