

TECHNICAL DATA SHEET

1. TRADE NAME: REFILL BOARD MAXI

Hazelnut flavoured monitoring device for the following target pests: *Rattus rattus*, *Rattus Norvegicus* and other harmful rodents.

Monitoring device for the IPM application complying with UNI EN 16636:2015 Regulation, that must be applied to control regularly the pests presence in a specific place for a defined time.

2. PRODUCT CODE: P-02005

3. PICTURE:



4. TECHNICAL SPECIFICATIONS:

Refill Board Maxi is a monitoring device (glue trap).

It is composed of:

- Wooden board;
- Hazelnut flavoured glue, which does not alter even at low temperatures, ensuring the pest catch regardless of the environment conditions;
- Balls-spacers.

The glue used for Refill Board Rat works perfectly even at very cold environmental conditions.

Trap size:

- **Length:** 280 mm
- **Width:** 190 mm
- **Height:** 3 mm

Glue Area: 160 x 250 mm

Colour: As in the picture

InPEST products could undergo necessary or opportune technical changes, at any given time, without prior written notice to customers.

TECHNICAL DATA SHEET

5. HOW TO USE:

Place Refill Board Maxi in the following places:

- near cable trough and electric boards, dishwashers, doors and slots, lofts, storehouses, producing departments, cellars, garages, workshops, etc.;
- along the rooms perimeters to be disinfested and along the rodent habitual paths, which can be identified through excrements, fur, dens, paw prints, etc.
- along the walls.

We suggest you to give a number to each trap and indicate its placement in the monitored area plan, in order to facilitate the check during the periodic monitoring.

Theoretical covered area: at a distance of 5-10 meters the one from the other, according to the assumed pest infestation.

Suggested monitoring period: all the yearlong, especially in the period between October and April, in which it is registered peaks due to the external temperature reduction.

Suggested frequency of the controls: at least twice daily. Change the trap after two months (at the latest) or before according to the pest infestation or the presence of dust and water/damp in the environment.

The use of the trap in a dusty place could reduce the product functionality over time.

Storage conditions: in a cool and dry room, temperature below 25°C and R.H. below 55%.
If well stored (intact packaging), the product shelf life is 3 years.

Information on the Best Practice: Can be used in agri-food environments.

Evaluate the use of the product as it is or inside special containers, depending on the type of environment to be monitored.

The use inside containers allows to protect from dust and also to reduce the chances of catching non-target animals.

In order to respect animal welfare, we recommend a frequency of control of the adhesive traps equal to several times / day (at least 2), as recommended by the Guideline on Best Practice in the Use of Rodenticide Baits as Biocides in the European Union, issued in September 2013 from EBPF (European Biocidal Products Forum).

If, in the control phase of the adhesive trap, a mouse was found alive, it must be killed quickly and humanely. A strong blow to the head is the most advisable method according to the 2006 Animal Welfare Act UK. Absolutely avoid drowning.

If catches of non-target organisms are found, contact a wild animal recovery center (or a wildlife center). The removal of the live animal by unskilled personnel can cause further suffering and injury. Try to remove the animal with liquid paraffin, and then clean it with soap and water, only when it has been impossible to find professional help.

TECHNICAL DATA SHEET

6. PACKAGING AND SPARE PARTS:

Case: 24 packs (48 pieces - sales unit). Every pack contains 2 pieces, wrapped in plastic film.

Pallet: 2304 pcs/pallet; 84 cases/pallet.

7. DISPOSAL CONSIDERATIONS:

Waste disposal should be in accordance with existing Community, National and local regulations.