

## TECHNICAL DATA SHEET

### 1. TRADE NAME: **RODENT STOP TRANSPARENT**

Monitoring device for detecting the presence of mice (*Mus musculus musculus*, *Mus musculus domesticus*), rats (*Rattus rattus*, *Rattus norvegicus*) and other harmful rodents, *Blattella germanica*, *Blatta orientalis*, *Periplaneta americana*, *Supella longipalpa* e and other crawling insects such as *Lepisma saccharina*, *Tribolium confusum*, *Tribolium castaneum*.

Monitoring device for the IPM application complying with UNI EN 16636:2015 Regulation, that must be applied to control regularly the pests' presence in a specific place for a defined time.

### 2. PRODUCT CODE: **P-03065T**

### 3. PICTURE:



### 4. TECHNICAL SPECIFICATIONS:

The box Rodent Stop Transparent is made of polypropylene, strong enough to resist to crashes and bad weather conditions. It can be used both indoors and outdoors.

#### **It is composed of:**

- N.2 entrances;
- Safety locking system with proper key;
- Internal spaces both for baits and trays (Ecotrap Maxi, P-02004G40 and P-02004G40B; Ecotrap Maxi Hot, P-02004HM).

#### **Trap size:**

- **Length:** 332 mm
- **Width:** 142 mm
- **Height:** 112 mm

**Colour:** As in the picture

InPEST products could undergo necessary or opportune technical changes, at any given time, without prior written notice to customers.

## TECHNICAL DATA SHEET

### 5. HOW TO USE:

Place the box Rodent Stop Transparent in the following places:

- green areas, where the presence of overgrown grass is particularly appreciated by rodents;
- near gardens, green houses and grasslands;
- along the external perimeter of food industries;
- inside storehouses;
- in the back of supermarkets;
- in waste collection areas;
- near cable trough and electric boards, dishwashers, doors and slots, lofts, storehouses, producing departments, cellars, garages, workshops, etc.;
- along the rooms perimeters to be disinfested and along both the rodent habitual paths, which can be identified through excrements, fur, dens, paw prints, etc. and the crawling insects ones;
- along the walls;

We suggest you to give a number to each trap and indicate its placement in the monitored area plan, in order to facilitate the check during the periodic monitoring.

**Theoretical covered area:** at a distance of 5-10 meters the one from the other, according to the assumed pest infestation.

**Suggested monitoring period:** all the yearlong, especially in the period between October and April, in which it is registered peaks due to the external temperature reduction.

**Suggested frequency of the controls:** at least twice daily. Change or clean the trap according to the pest infestation.

The use of the trap in damp and dusty places does not reduce the product functionality over time.

**Storage conditions:** in a cool and dry room, temperature below 25°C and R.H. below 55%.

**Information on the Best Practice:** Can be used in agri-food environments.

In order to respect animal welfare, we recommend a frequency of control of the adhesive traps equal to several times / day (at least 2), as recommended by the Guideline on Best Practice in the Use of Rodenticide Baits as Biocides in the European Union, issued in September 2013 from EBPF (European Biocidal Products Forum).

If, in the control phase of the adhesive trap, a mouse was found alive, it must be killed quickly and humanely. A strong blow to the head is the most advisable method according to the 2006 Animal Welfare Act UK. Absolutely avoid drowning.

If catches of non-target organisms are found, contact a wild animal recovery center (or a wildlife center). The removal of the live animal by unskilled personnel can cause further suffering and injury. Try to remove the animal with liquid paraffin, and then clean it with soap and water, only when it has been impossible to find professional help.

## TECHNICAL DATA SHEET

### 6. PACKAGING AND SPARE PARTS:

- Packs: bulk
- Case: 12 pieces (sales unit)
- 1 key for case.

### 7. DISPOSAL CONSIDERATIONS:

Waste disposal should be in accordance with existing Community, National and local regulations.