

TECHNICAL DATA SHEET

1. TRADE NAME: TRAP BAG

Monitoring device to detect the presence of flies and blowflies.

Monitoring device for the IPM application complying with UNI EN 16636:2015 Regulation, that must be applied to control regularly the pests' presence in a specific place for a defined time.

2. PRODUCT CODE: P-04108

3. PICTURE:



4. TECHNICAL SPECIFICATIONS:

Trap Bag is a disposable trap in plastic.

It is composed of:

- Cover;
- Plastic bag;
- Specific fly lure in powder in a water-soluble bag, placed inside plastic bag.

Trap size:

- **Diameter:** 195 mm
- **Height:** 250 mm
- **Volume:** 3 l

Colour: As in the picture

InPEST products could undergo necessary or opportune technical changes, at any given time, without prior written notice to customers.

TECHNICAL DATA SHEET

5. HOW TO USE:

Place Trap Bag in the following outdoors places:

Orchards, gardens, farms, landfill sites, waste treatment centre and factories in general.

In order to activate Trap Bag it is necessary to remove the red cover and add 1,5 l of water. After about 2 days the lure is active. This timing can increase with low temperature. If you want to accelerate the activation, we propose the use of hot water.

Place Trap Bag at 1,5 m height, easily controllable, preferably protected from the sun (for example, under the trees) during periods of hot weather; on the contrary expose the trap to the sun during coldest weather periods. Place the trap at a distance of 20-25 m the one from the other, according to the assumed level of infestation. Place Trap Bag far from the front doors and the areas to be protected.

Suggested monitoring period: from March to October, according to the season temperature.

Suggested frequency of the controls: Control the trap every 7 days to check the quantity of caught flies. Replace the trap when it is full of insects or in case of loss of efficacy (for example when you observe the presence of algae that change the colour of the attractive mixture).

Storage conditions: in a cool and dry room, temperature below 25°C and R.H. below 55%.

6. PACKAGING AND SPARE PARTS:

- Pack 1 piece;
- Outer carton: 10 pieces (sales unit).

7. DISPOSAL CONSIDERATIONS:

Waste disposal should be in accordance with existing Community, National and local regulations.