

TECHNICAL DATA SHEET


1. TRADE NAME: **UNIVERSAL GLUEBOARD**

Cherry flavoured monitoring device for the following target pests: crawling insects such as *Blattella germanica*, *Blatta orientalis*, *Periplaneta americana*, *Supella longipalpa*, *Lepisma saccharina*, *Tribolium confusum*, *Tribolium castaneum* and *Mus musculus musculus*, *Mus musculus domesticus* and other harmful rodents.

Monitoring device for the IPM application complying with UNI EN 16636:2015 Regulation, that must be applied to control regularly the pests' presence in a specific place for a defined time.

2. PRODUCT CODE: **P-02038**

3. PICTURE:



4. TECHNICAL SPECIFICATIONS:

Universal Glueboard is a monitoring device consisting in a glue trap.

It is composed of:

- Cardboard;
- Hot melt glue - cherry flavoured;
- White, black-printed silicon release paper, indicating the instructions for its detachment.

Trap size:

- **Length:** 155 mm
- **Width:** 93 mm

Glue Area: 132 x 80 mm

Colour: As in the picture

InPEST products could undergo necessary or opportune technical changes, at any given time, without prior written notice to customers.

TECHNICAL DATA SHEET

5. HOW TO USE:

Place Universal Glueboard in the following places:

- near cable trough and electric boards, dishwashers, doors and slots, lofts, storehouses, producing departments, cellars, garages, workshops, etc.;
- along the rooms perimeters to be disinfested and along the rodent habitual paths or the passing areas of crawling insects, which can be identified through excrements, fur, dens, paw prints, etc.;
- along the walls.

We suggest you to give a number to each trap and indicate its placement in the monitored area plan, in order to facilitate the check during the periodic monitoring.

Theoretical covered area: at a distance of 5-10 meters the one from the other, according to the assumed pest infestation.

Suggested monitoring period: all the yearlong, especially in the period between October and April, in which it is registered peaks due to the external temperature reduction.

Suggested frequency of the controls: at least twice daily. Change the trap after two months (at the latest) or before according to the pest infestation or the presence of dust, water and/or damp in the environment.

The use of the trap in damp and dusty places could reduce the product functionality over time. For this reason, we suggest its use inside the multi-catch boxes such as Unibox Black (P-03039) or Unibox Transparent (P-03039T).

Storage conditions: in a cool and dry room, temperature below 25°C and R.H. below 55%. If well stored (intact packaging), the product shelf life is 3 years.

Information on the Best Practice: Can be used in agri-food environments.

Evaluate the use of the product as it is or inside special containers, depending on the type of environment to be monitored.

The use inside containers allows to protect from dust and also to reduce the chances of catching non-target animals.

In order to respect animal welfare, we recommend a frequency of control of the adhesive traps equal to several times / day (at least 2), as recommended by the Guideline on Best Practice in the Use of Rodenticide Baits as Biocides in the European Union, issued in September 2013 from EBPF (European Biocidal Products Forum).

If, in the control phase of the adhesive trap, a mouse was found alive, it must be killed quickly and humanely. A strong blow to the head is the most advisable method according to the 2006 Animal Welfare Act UK. Absolutely avoid drowning.

If catches of non-target organisms are found, contact a wild animal recovery center (or a wildlife center). The removal of the live animal by unskilled personnel can cause further suffering and injury.

TECHNICAL DATA SHEET

Try to remove the animal with liquid paraffin, and then clean it with soap and water, only when it has been impossible to find professional help.

6. PACKAGING AND SPARE PARTS:

- Packs: bulk
- Case: 140 pieces (sales unit)

7. DISPOSAL CONSIDERATIONS:

Waste disposal should be in accordance with existing Community, National and local regulations.